FIG. 1 (PRIOR ART)




FIG. 2 (PRIOR ART)





FIG.3 (PRIOR ART)



Item parameters

nogeto nuenci

FIG. 4 (PRIOR ART)




FIG. 5 (PRIOR ART)




FIG. 6 (PRIOR ART)




FIG. 7 (PRIOR ART)




FIG. 8 (PRIOR ART)




FIG. 9 (PRIOR ART)




FIG. 10 (PRIOR ART)




FIG. 11 (PRIOR ART)




FIG. 12 (PRIOR ART)




FIG. 13 (PRIOR ART)




FIG. 14 (PRIOR ART)








FIG. 15




Item parameters









 $[\Pi]$ 

(a) 5

9. The mean	is			
(a) 2	(b) 3	(c) 4	(d) 5	(e) 8
10. The stand	ard deviation is	5		
(a) 2	(b) 3	(c) 4	(d) 5	(e) 8
11. The media	an is			
(a) 2	(b) 3	(c) 4	(d) 5	(e) 8
12. The first o	quartile is			
(a) 2	(b) 3	(c) 4	(d) 5	(e) 8

Consider the 7 observations: 10, 4, 2, 5, 4, 2, 8.

[III] The next four questions refer to data sets and their histograms in general.

(c) 8

14. All large data sets have bell-shaped histograms. Is this statement true or false?

(a) True

(b) False

(d)9

(e) 10

- 15. For large data sets, very close to 50% of the data are smaller than the mean and very close to 50% are greater than the mean.
  - (a) True for every such large data set

(b) 6.5

- (b) False for some large data sets
- 16. The median is preferable to the mean as a measure of the center when a data set (a) is large.
  - (b) has outliers (unusually large or unusually small values).
  - (c) is symmetric but is not bell shaped.
  - (d) has an odd number of points in it.
- 17. Suppose a large data set has a histogram that is roughly bell-shaped. Suppose that there are no outliers. Then
  - (a) roughly 68% of the data lies within  $\pm s$  of  $\bar{x}$ .
  - (b) exactly 68% of the data lies within  $\pm s$  of  $\bar{x}$
  - (c) roughly 95% of the data lies within  $\pm 3s$  of  $\bar{x}$
  - (d) exactly 95% of the data lies within  $\pm 3s$  of  $\bar{x}$
- 18. The median is preferable to the mean as a measure of the center when a data set (a) is small.
  - (b) is symmetric but not bell-shaped.
  - (c) is strongly skewed to the left.
  - (d) involves biological or financial data.

FIG. 19

	Attributes									
item	_1_	2	3	4	5	6	7	8		
	1	0	0	ō	0	0	0	0		
2	1	0	0	0	0	0	0	0		
3		0	0	Q.	0	0	0	0		
4	1	0	0	0	0	0	0	0		
5	1	0	O	0	0	0	0	0		
6	1	0	0	0	0	0	0	0		
7	1	1	0	0	0	0	ø	ø		
8	1	0	1	0	0	0	0	0		
9	0	0	•	0	Ð	0	0	0		
10	0	0	0	1	0	0	0	0		
	Ō	ì	******	0	*******	*******	0	*****		
12	0	1	0	0	0	0	0	0		
13	Û	•	**************************************	2020222000000	0		000000000000000000000000000000000000000	*****		
14	1	0	0	0	0	0	0	0		
15	n	•	ō	000000000000	0000000000000	0000000000000	6	0		
16	0	0	l	0	0	0	0	0		
17	, i	ň		0000000000000	0	000000000000000	0	0		
18	0	1	l	0	0	0	0	0		
iğ	Ä			000000000000000000000000000000000000000	ñ	*******	ñ	ø		
20		0	1	0	0	0	0	0		
2)		Ö	******	i	*******	*******	0			
22	1	0	0	1	0	0	0	0		
23	'n	Ď	ñ	Ó	o i	ì	ñ	á		
24	0	0	0	0	0	1	0	0		
25	Õ	ő	0000000000	Ó	000000000000	~~~~	0	0		
26	0	0	<b></b>	0	0	0	0	0		
27	Õ	Ó		Ö	Ø	ø	0	9		
28	0	0	0	1	0	0	0	0		
29	0	0	0	***********	g	a	ñ	9		
30	0	0	0	0	0	1	0	0		
31	Ö	Ö	Ö	Ö	9	9	×.	0		
32	0	0	0	0	0	0	* }	0		
	××	0	Ö	********	0	ő				
34	············	0	0	0	0	0				
35	0	0	0	Ö	0	Û	1	1		
36	0	0	0	0	0	0	l	1		
37	Ö	Ö	Ŏ	Ō	ì	0	-0	0		
38	0	0	0	0		0	0	0		
39	Ö	0	Õ	0	1	0	Ď	0		
40	0	0	0	0	0	1	0	0_		
total	13	7	9	6	3	5	6	4		
total	13			U			<u> </u>	<del>+</del> _		